

ULTRAPOWER

HEAVY DUTY DEEP CYCLE

Distributor Pricing - All prices quoted exchange

BCI GROUP SIZE	BATTERY PART #	C.C.A. @ 0°F	M.C.A. @ 32°F	RES CAP @ 25 Amps	RES CAP @ 75 Amps	20 HR RATE	MAX OVERALL DIMENSIONS (in inches & mm)						UNIT VALUE
							LENGTH		WIDTH		HEIGHT		
ULTRAPOWER BRANDED DEEP CYCLE BATTERIES - 12 VOLT													
24	EV24	500	625	120	-	85	10 11/16	272	6 5/8	168	9 1/4	235	1
27	EV27	575	730	160	-	90	12 5/8	320	6 5/8	168	9 1/4	235	1
27	EV27TM	550	675	182	-	110	12 5/8	320	6 5/8	168	9 1/4	235	1
31M	EV31	850	1060	215	-	130	12 7/8	328	6 3/4	171	9 5/16	237	1.5
4D	EV4D	1300	1625	375	-	200	20 3/4	527	8 11/16	221	10 3/4	273	3
8D	EV8D	1400	1750	450	-	225	20 3/4	527	11	279	10 3/4	273	4
DC	EV1275	-	-	280	90	150	12 7/8	328	7	178	10 7/8	276	2
ULTRAPOWER BRANDED DEEP CYCLE BATTERIES - 6 VOLT													
GC2	EV605	-	-	380	105	210	10 1/4	261	7 1/8	181	10 3/4	273	1.5
GC2	EV105	-	-	445	115	225	10 1/4	261	7 1/8	181	10 3/4	273	1.5
GC2	EV125	-	-	480	135	240	10 1/4	261	7 1/8	181	10 3/4	273	1.5
GC2	EV145	-	-	525	145	260	10 1/4	261	7 1/8	181	11 5/8	295	1.5
ULTRAPOWER BRANDED DEEP CYCLE BATTERIES - 8 VOLT													
GC2	EV875	-	-	-	80	170	10 3/8	264	7 1/8	181	10 3/4	273	1.5
ULTRAPOWER BRANDED GEL BATTERIES													
GC2	UGGC2	585	850	375	92	180	10 1/4	260	7 1/8	181	10 7/8	276	1.5
GC8	UG8VGC**	-	-	270	-	140	10 1/4	260	7 1/8	181	10 7/8	276	1.5
U1	UGU1	175	250	47	-	32	8 5/16	211	5 1/8	130	7 1/4	184	0.5
22NF	UG22NF	210	300	82	-	50	9 3/8	238	5 7/16	138	9	229	1
24	UG24	410	575	140	33	74	10 7/8	276	6 3/4	171	9 7/8	251	1
27	UG27	505	700	170	40	88	12 3/4	324	6 3/4	171	9 7/8	251	1
34	UG34-R	300	420	96	21	60	10 3/16	259	6 5/8	169	7	178	1
31	UG31	550	780	190	51	98	12 15/16	329	6 3/4	171	9 3/8	238	1.5
4D	UG4D	970	1245	395	105	183	20 3/4	527	8 1/2	216	10	254	3
8D	UG8D	1150	1470	500	135	225	20 3/4	527	11	279	10	254	4
ULTRAPOWER BRANDED ABSORBED GLASS MAT BATTERIES													
6V-27	UA6V27	-	-	-	-	200	12 1/16	306	6 3/4	171	8 7/8	225	1
GC2	UAGC2	680	900	409	92	190	10 1/4	260	7 1/8	181	10 7/8	276	1.5
U1	UAU1	200	240	54	10	32	8 5/16	211	5 1/8	130	7 1/4	184	0.5
22NF	UA22NF	350	420	95	22	55	9 3/8	238	5 7/16	138	9	229	1
24	UA24	525	735	145	35	79	10 7/8	276	6 3/4	171	9 7/8	251	1
27	UA27	580	810	185	43	92	12 3/4	324	6 3/4	171	9 7/8	251	1
31	UA31	800	1000	210	53	105	12 15/16	329	6 3/4	171	9 3/8	238	1.5
4D	UA4D-AP	1110	1420	413	106	198	20 3/4	527	8 1/2	216	10	254	3
4D	UA4D-FL	1110	1420	413	106	198	20 3/4	527	8 1/2	216	10	254	3
8D	UA8D-AP	1450	1800	517	138	245	20 3/4	527	11	279	10	254	4
8D	UA8D-FL	1450	1800	517	138	245	20 3/4	527	11	279	10	254	4

** Special order

1-603-219-0051

ULTRAPOWER

AUTOMOTIVE

Distributor Pricing - All prices quoted exchange

BCI GROUP SIZE	BATTERY PART #	C.C.A. @ 0°F	RES CAP MINUTES @ 25	MAX OVERALL DIMENSIONS (in inches & mm.)						UNIT VALUE	COST PER MONTH
				LENGTH		WIDTH		HEIGHT			
12 VOLT AUTOMOTIVE MAINTENANCE FREE											
ULTRAPOWER 72 MONTH sealed maintenance free											
24	624	725	120	10 1/8	258	6 3/4	170	9	229	1	\$1.50
24F	624F	725	120	10 1/8	258	6 3/4	170	9	229	1	\$1.50
34	634**	770	120	10 1/8	258	6 3/4	138	8 1/8	206	1	\$1.50
65	665	850	150	11 1/4	286	7 5/16	187	7 1/2	190	1	\$1.50
75	675	700	100	9	229	7 1/16	180	7 1/4	183	1	\$1.50
78	678	770	125	10 5/32	258	7 1/16	180	7 1/4	183	1	\$1.50
ULTRAPOWER DUAL TERMINAL all calcium construction											
24/74	1024DT	930	130	10 5/32	258	7	180	9	229	1	\$1.50
34/78	734/78**	850	120	10 5/32	258	7	180	8 1/8	206	1	\$1.50
34/78	634/78	770	128	10 5/32	258	7	180	8 1/8	206	1	\$1.50
34/78	534/78	630	100	10 5/32	258	7	180	8 1/8	206	1	\$1.50
25/75	625/75	700	100	9	229	7	177	8 3/4	222	1	\$1.50
25/75	525/75	525	85	9	229	7	177	8 3/4	222	1	\$1.50
26/70	626/70	605	100	8 1/16	205	7	177	8 1/32	204	1	\$1.50
26/70	426/70	425	70	8 1/16	205	7	177	8 1/32	204	1	\$1.50
ULTRAPOWER 60 MONTH all calcium construction											
24	524	525	90	10 1/8	258	6 3/4	170	9	229	1	\$1.50
24F	524F	525	90	10 1/8	258	6 3/4	170	9	229	1	\$1.50
25	525	530	76	9	229	6 5/8	169	8 3/4	222	1	\$1.50
26	526	530	85	8 1/8	206	6 3/4	171	8	203	1	\$1.50
26R	526R	530	85	8 1/8	206	6 3/4	171	8	203	1	\$1.50
27	527	700	120	12	305	6 1/2	167	9	229	1	\$1.50
27F	527F	700	120	12	305	6 1/2	167	9	229	1	\$1.50
34	534	650	115	10 1/8	258	6 3/4	138	8 1/8	206	1	\$1.50
34R	534R	650	115	10 1/8	258	6 3/4	138	8 1/8	206	1	\$1.50
35	535	530	76	9	229	6 5/8	169	8 3/4	222	1	\$1.50
36R	536R	650	128	10 3/8	265	7 1/4	184	8 1/8	206	1	\$1.50
50	550	600	108	13 1/2	343	5	127	10	254	1	\$1.50
51	551	425	70	9 1/4	235	5 3/8	137	8 9/16	219	1	\$1.50
51R	551R	425	70	9 1/4	235	5 3/8	137	8 9/16	219	1	\$1.50
55	555	585	95	8 3/4	222	6	152	8 1/2	216	1	\$1.50
56	556	580	90	10 7/16	267	6 5/16	160	8 3/8	213	1	\$1.50
59	559	590	100	10 1/16	270	7 11/16	195	7 3/4	197	1	\$1.50
58	558	550	90	9 1/4	235	7 1/8	181	7	178	1	\$1.50
58R	558R	550	90	9 1/4	235	7 1/8	181	7	178	1	\$1.50
62	562	525	90	8 3/4	222	6 5/16	160	8 7/8	226	1	\$1.50
64	564	575	95	11 1/2	291	6 1/4	159	8 7/8	226	1	\$1.50
65	565	650	120	11 1/4	286	7 5/16	187	7 1/2	190	1	\$1.50
70	570	530	85	8 1/8	206	7	177	7 5/8	194	1	\$1.50
75	575	525	85	9	229	7 1/16	180	7 1/4	183	1	\$1.50
78	578	630	100	10 5/32	258	7 1/16	180	7 1/4	183	1	\$1.50
85	585	525	80	9 1/16	232	6 3/4	170	8	203	1	\$1.50
86	586	525	80	9 1/16	232	6 3/4	170	8	203	1	\$1.50
100	579/100	850	115	10 3/4	273	6 7/8	175	7 1/4	183	1	\$1.50

** Special Order

Jun-11

1-603-219-0051



Distributor Pricing - All prices quoted exchange

BCI GROUP SIZE	BATTERY PART #	C.C.A. @ 0°F	RES CAP MINUTES @ 25	MAX OVERALL DIMENSIONS (in inches & mm.)			UNIT VALUE	COST PER MONTH
				LENGTH	WIDTH	HEIGHT		

12 VOLT AUTOMOTIVE MAINTENANCE FREE

ULTRAPOWER 50 MONTH

22NF	422NF	450	80	9 3/8	238	5 7/16	138	9	229	1	\$1.50
22F	422F	415	60	9 3/8	238	6 3/4	171	8 1/8	206	1	\$1.50
24	424	450	60	10 1/8	258	6 3/4	171	9	229	1	\$1.50
24F	424F	450	60	10 1/8	258	6 3/4	171	9	229	1	\$1.50
26	426	430	70	8 1/8	206	6 3/4	171	8	203	1	\$1.50
45	445	450	80	9 3/8	237	5 7/16	138	9	229	1	\$1.50
58	458	450	70	9 1/4	235	7 1/8	181	7	178	1	\$1.50
70	470	430	70	8 1/8	206	7	177	7 5/8	194	1	\$1.50

ULTRAPOWER IMPORT VEHICLE BATTERIES

MIATA	8AM-U1R	320	45	8 5/16	211	5 1/8	130	7 1/4	184	1	\$1.50
40R	540R	650	105	11	278	6 7/8	175	6 7/8	175	1	\$1.50
41	541	675	105	11 9/16	294	6 7/8	175	6 7/8	175	1	\$1.50
42	542	415	65	9 3/8	237	6 7/8	175	6 3/4	173	1	\$1.50
47/90	547	600	75	9 11/16	245	6 7/8	175	7 1/2	190	1	\$1.50
48/91	548	690	110	11	278	6 7/8	175	6 7/8	175	1	\$1.50
49/93	549	850	120	14 1/2	368	6 7/8	175	7	177	1	\$1.50
92	592	650	130	12 3/8	315	6 7/8	175	6 7/8	175	1	\$1.50
94R	594R	765	135	12 3/8	315	6 7/8	175	7 1/2	190	1	\$1.50
95R	595R	850	190	15 1/2	394	6 7/8	175	6 7/8	175	1	\$1.50
96R	596R	590	95	9 5/8	244	6 7/8	175	6 7/8	175	1	\$1.50
121R	121R**	500	80	8 1/8	206	6 7/8	175	7 3/4	197	1	\$1.50
124R	124R**	700	110	10 3/16	260	6 7/8	175	8 7/16	217	1	\$1.50

Jun-11

LIMITED WARRANTY & ADJUSTMENT POLICY

All ULTRAPOWER batteries are built to the highest industry standards to provide a long and useful running life. Thick quality plates, specially designed separators, heat sealed cases, and rigid standards for quality control assures your customer that you are supplied the best battery possible from NORTH COUNTRY GOLF CAR

.....EVEN A QUALITY ASSURED BATTERY CAN BECOME DISCHARGED THROUGH NO FAULT OF THE BATTERY.... IN SUCH CASES THE BATTERY SHOULD NOT BE REPLACED. THERE IS A DEFINITE POSSIBILITY OF OTHER PROBLEMS IN THE HOST SYSTEM.

A prime advantage of a battery is that it can be restored back to a proper operating condition by recharging when it is discharged. By performing this service to the product you are saving both yourself and the customer time & money.

All batteries distributed by **NORTH COUNTRY GOLF CAR** are warranted to be free from defects in material and workmanship. Should a defect become apparent within 12 months, the battery will be replaced free of charge. except for cost of transportation.

The seller's liability is limited to the replacement of the battery. The seller is not responsible for any installation costs, loss of time, or any other consequential damage costs incurred. NOTE: these limitations may not apply in some states.

The warranty does not apply to batteries that are only discharged, have broken containers, covers, or terminals, have been frozen, overcharged or sulfated, have foreign materials or additives put in the electrolyte, or when evidence of neglect or abuse is present.

ULTRAPOWERR

COMMERCIAL

Distributor Pricing - All prices quoted exchange

BCI GROUP SIZE	BATTERY PART #	NOTES	C.C.A. @ 0°F	RES CAP MINUTES @ 25 AMPS	MAX OVERALL DIMENSIONS (in inches & mm)			UNIT VALUE			
					LENGTH	WIDTH	HEIGHT				
ULTRAPOWERR 6 VOLT TRUCK & TRACTOR BATTERIES											
1	901		700	150	8 15/16	227	6 3/4	171	8 3/4	222	1
2	902		625	150	10 3/8	264	7 1/8	181	9 3/8	238	1
4	904		1000	240	12 7/16	316	6 3/16	157	9 3/8	238	1.5
3EH	3EH		850	260	19 1/4	488	4 1/4	108	9 13/16	249	1.5
ULTRAPOWERR 12 VOLT FARM & GARDEN TRACTOR BATTERIES											
Military	6TL		750	230	10 15/16	278	10 1/2	266	9	229	2
24	1028S		550	100	10 1/8	258	6 3/4	170	9	229	1
29NF	29NF		390	90	13	330	5 7/16	138	8 7/8	226	1
30H	930H		700	180	13	330	6 15/16	176	9 5/8	245	1.5
3EE	3EE		370	100	19 3/16	488	4 1/4	107	8 11/16	220	1.5
3ET	3ET		460	120	19 3/16	488	4 3/16	107	9 11/16	246	1.5
16TF	16TF		545	210	16 1/2	419	7	179	10 15/16	278	2
17TF	17TF		510	120	16 7/8	429	6 3/4	171	7 3/4	197	2
4DLT	4DLT		900	200	19 7/8	505	8 1/8	206	8 1/8	206	3
DIN	N100		700	180	16	407	6 13/16	173	9 1/8	231	1
DIN 4D	N120	SMF	600	156	19 7/8	505	7 3/16	183	9 5/16	237	1
DIN 4D	NS150**		800	275	19 7/8	505	7 3/16	183	10 1/16	255	1.5
U1L	9AL		245	28	7 11/16	195	5 1/8	130	7 3/16	183	0.5
U1R	9AR		245	28	7 11/16	195	5 1/8	130	7 3/16	183	0.5
U1L	9AL-300		300	40	7 11/16	195	5 1/8	130	7 3/16	183	0.5
U1R	9AR-300		300	40	7 11/16	195	5 1/8	130	7 3/16	183	0.5
U1L	9AL-350		350	43	7 11/16	195	5 1/8	130	7 3/16	183	0.5
ULTRAPOWERR 12 VOLT COMMERCIAL TRUCK & TRACTOR BATTERIES											
31	731S		700	180	13	330	6 13/16	173	9 3/8	238	1.5
31	1031P	MF	750	160	13	330	6 13/16	173	9 3/8	238	1.5
31	1031S	MF	750	160	13	330	6 13/16	173	9 3/8	238	1.5
31	931P		925	180	13	330	6 13/16	173	9 3/8	238	1.5
31	931S		925	180	13	330	6 13/16	173	9 3/8	238	1.5
31	1131P	MF	1000	200	13	330	6 13/16	173	9 3/8	238	1.5
31	1131S	MF	1000	200	13	330	6 13/16	173	9 3/8	238	1.5
31	EXHC-200D		700	200	13	330	6 13/16	173	9 5/16	237	1.5
4D	904D		1000	300	20 5/8	524	8 11/16	221	10	255	3
4D	S4D	SMF	1050	300	20	508	8 3/4	222	9 1/2	241	3
8D	908D		1100	320	20 5/8	524	11	279	10	255	4
8D	S8D	SMF	1300	390	20 5/8	523	11	279	9 7/8	250	4
8D	XH8D		1400	435	20 3/4	527	10 7/8	277	10	255	4
8D-S	XH8D-S**	Top stud	1350	450	20 7/8	530	11	279	10	255	4
8D-BUS	XH8D-BUS	1/2" Pos	1400	435	22	559	11	279	10	255	4
8D-BUS-C	XH8D-BUS-C	3/8" Pos	1400	435	22	559	11	279	10 15/16	277	4
Trojan AGM - 12 VOLT COMMERCIAL TRUCK BATTERIES											
31	OverDrive AGM31	Cycling	102 Ah	180	13 7/16	341	6 13/16	173	9 1/4	234	1.5
31	TransPower ST1000	Starting	1000	200	13 7/16	341	6 13/16	173	9 1/4	234	1.5

** Special order

Jun-11

SMF: Sealed Maintenance Free Design

MF: Maintenance Free Design

1-603-219-0051